

# With or Without Disconnected Erections.

## STEEL STEAMER.

WED. SEP - 2 1914

Received at London Office.

Date of completion of report  
Survey held at

Greenock

State if Report is also sent on the Machinery of the Vessel *Yes. No.*

Port of **GREENOCK**

Date, First Survey

27<sup>th</sup> Aug, 1913.

Last Survey

No. **1674**  
27<sup>th</sup> August 1914

On the (State if Single, Twin or Triple Screw)

**"INKIST" "CUYAHOGA"**

Rig *Schooner.*

**TONNAGE under**

CLASS \* 100 G.P.

FEET.

Master *W. Gray.*

Year of appointment

**Tonnage Deck...**

Do. between Tonnage Deck

and 3rd and 4th Dk.

**Total under Upper Dk.**

Do. of Poop House

Do. of Bridge House

Do. of Forecastle

Do. of Houses on Dk.

Do. of excess of Hatchways

Do. above Crown of

Engine Room

**Gross Tonnage**

Less Crew Space

Less above Crown of

Engine Room

**TONNAGE FOR FEES..**

Less Engine Room

Less Navigation Spaces

**Register Tonnage**

as cut on Beam

**Breadth** (greatest moulded).....

**Depth**, at middle of length from top of keel to top of

upper deck beams at side.....

**Transverse Number**.....

**Length** on deck from fore part of stem to after part of

stern post.....

**Longitudinal Number**.....

**Depth "d"** at middle of length (See Secs. 2 & 13)....

**Proportions**—Depths to Length—Upper Deck Beam at

side to top of keel

" " Long Bridge Deck

Beam at side to top of keel

" " " " " "

**Destined Voyage** *New York.*

If Surveyed while Building *AND* Afloat, or in Dry Dock *Yes.*

LENGTH on Deck as per Rule	Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
375	0	53	0	27	90	27	10 1/2	20	two

Dimensions of Ship per Register, Length 375.0 breadth 53.20 depth 27.90 Moulded depth, ft. 35. ins. 3 1/2 To Bridge Dk. Round of Upper Dk. Beam, Actual 13. ins.

FRAMING.				PILLARS.			
FRAME, Angles, or E or L Bars amidships	Inches in Ship.	Inches in Ship.	Inches in Ship.	PILLARS, In 'tween Deck, size and spacing	Inches in Ship.	Inches in Ship.	Inches in Ship.
Do. in peaks	6	3 1/2	36	" " Hold	"	"	"
Do. in way of Double Bottoms at Solid Floors				" " Quarter 'tween Dks.	"	"	"
" " " at intermdt. Bkts.				" " in Hold	"	"	"
Spacing of Frames from centre to centre amidships				KEELSONS & STRINGERS.			
" " " length to Collision bulkhead	24		24	CENTRE LINE KEELSON, Vertical Plates above			
" " " in peaks	3 1/2	3	36	floors, Through Plate, or Intercostal Plate			
REVERSED FRAME, Angles				Rider Plate			
Do. in way of Double Bottoms at Solid Floors				" Flat Plate Keel Angles			
" " " at intermdt. Bkts.				" Horizontal Plates on Floors			
FRAMING, depth of girder				" Angles or Bulb Angles			
FLOORS, depth and thickness of Floor Plate				SIDE KEELSONS, Number			
at mid line for 1/2 length amidships				" Angles or Bulb Angles			
" in way of Engine and Boiler Spaces				" Plate above floors, for length			
" thickness at the ends of vessel	40		40	" Intercostal Plate, for length			
" depth at 1/2 the half breadth, as per Rule				" Attached to outside Plating with Angle			
" height extended at the Bilges				BILGE KEELSON, Angles			
FLOORS in Cell, Double Bottoms				" Intercostal Plate, for length			
" state if flanged (top & bottom)	No.			" Attached to outside Plating with Angle			
" Spacing of Solid floors	30	3 1/2	36	SIDE STRINGERS, Number			
CENTRE GIRDER, in Dbl. bottom, dpth. & thickness	6.0 x 50	3.6 x 60	6.0 x 50	" Angle			
" " Angles, Top	3 1/2	3 1/2	60	" Intercostal Plate, for length			
" " Bottom	4 1/2	4 1/2	56	" Attached to outside plating with Angle			
" " to Floors	5 x 5	5 1/2 x 50	5 x 5	Upper Deck Stringer Plate, br'dth & thickness			
Brackets at intermdt. frmg. width & thickness	1 1/2 x 48	2 x 35	1 1/2 x 48	(clear of Bridge)	59	64	59
E GIRDERS, number on each side & thickness	No.			(in way of Bridge)	5 x 5	68	5 x 5
" state if flanged (top and bottom)	3 1/2	3 1/2	40	" Angle (clear of Bridge)			
" Angles (top and bottom)	3 1/2	3 1/2	50	" Tie Plate at sides of Hatchways	54		44
" " to Floors	3 1/2	3 1/2	50	" Deck * Iron or Steel, for WHOLE lng.			
GIN PLATE, depth (exclusive of flange)	2 1/2		56	" Thickness (clear of Bridge)			
" and thickness	4	4	46	" (in way of Bridge)			
" Angles to Outside Plating	16	3 1/2	54	" Wood Deck, Material & thickness	63	42	42
" " Floors				" Second Deck Stringer Plate, br'dth & thickness	5 x 5	68	5 x 5
Brackets at intermdt. frmg. width & thickness	54 x 50 E	56 B	54 x 50 E	" Angle on ditto, No.			
Height of Outside Brackets above at bilge	58 E	66 B	48 E	" Tie Plates outside Hatchways			
R BOTTOM PLATING, breadth and thickness of Middle Line Strake				" Deck * Iron or Steel, for WHOLE lng.	40		40
" " in Engine and Boiler space				" Wood Deck, Material & thickness			
" " Remainder in Hold				Third Deck Stringer Plate, br'dth & thickness			
S, Upper Deck, Single Angle, Bulb Angle, Plate, Tee Bulb, or Channel				" Angles on ditto, No.			
In way of Long Bridge				" Tie Plates, outside Hatchways			
Spacing				" Deck * Material and thickness			
S, Second Deck, Single Angle, Bulb Angle, Plate, Tee Bulb, or Channel				Fourth and Fifth Deck Stringer Plate, breadth & thickness			
Spacing				" Angles on ditto, No.			
BEAMS, Third and Fourth Deck, Single Angle, Bulb Angle, Plate, Tee Bulb, or Channel				" Tie Plates outside Hatchways			
Angles on upper edge				" Deck, Material & thickness			
Spacing				Poop Deck Stringer Plate, breadth & thickness			
BEAMS, Poop Deck, Angle, Bulb Angle, Plate, Tee Bulb, or Channel				" Angle on ditto	34	34	34
Angles on upper edge	7 1/2	3	46	" Tie Plates	3 1/2 x 3 1/2	34	3 1/2 x 3 1/2
Spacing	30	6	32 1/2	" Deck, Material and thickness	30	30	30
BEAMS, Bridge Deck, Angle, Bulb Angle, Plate, Tee Bulb, or Channel				Bridge Deck Stringer Plate, br'dth & thickness			
Angles on upper edge	7	3	40	" Angle on ditto	3 1/2 x 3 1/2	40	3 1/2 x 3 1/2
Spacing	30	6	32 1/2	" Tie Plates			
BEAMS, Forecastle Deck, Angle, Bulb Angle, Plate, Tee Bulb, or Channel				" Deck, Material and thickness	26	26	26
Angles on upper edge	7 1/2	3	46	Forecastle Deck Stringer Plate, br'dth & thickness			
Spacing	31	6	30	" Angle on ditto	3 1/2 x 3 1/2	34	3 1/2 x 3 1/2
				" Tie Plates			
				" Deck, Material and thickness	24	24	24

\* If Iron or Steel Deck, state if whole or part, and if Wood Deck is laid thereon.

Em. S.  
31/8/14

W927-0095



Form No. 1A.

*The Successors are requested not to write on or below the Committée's Minutes.*



