

With or Without Disconnected Erections.

STEEL STEAMER.

Received at London Office WED. 14 JAN 1920

Date of completion of report
Survey held at

9TH JANUARY 1919

Port of

GLASGOW.

Date, First Survey

10TH JUNE 1918

Last Survey

No. 39499
30TH DECEMBER 1919

On the (State of Single, Twin, or Triple Screw)

SINGLE 5⁵ 5⁵

"GLASSFORD"

Rig

SCHOONER.

TONNAGE under

2233.44

CLASS

+100 A1.

FEET.

Master

W. MACKINTOSH

Do. between Tonnage Dk. and 3rd and 4th Dk.

Breadth (greatest moulded)

42.75

Year of appointment

(1) As Master in service of owner of present vessel: 19
(2) As Master of this vessel: 19

Total under Upper Dk.

2233.44

Depth, at middle of length from top of keel to top of upper deck beams at side

23.00

Built at

ARDROSSAN

Do. of Poop

88.56

Transverse Number

65.75

When built

1919

Launched 6.11.19

Do. of Forecastle

15.17

Length on deck from fore part of stem to after part of stern post

303.00

By whom built

ARDROSSAN D/D & S/D

Do. of Houses on Dk.

32.07

Longitudinal Number

1922

Owners

MANN MACNEAL & CO LTD

Do. of excess of Hatchways

41.83

Depth "d," at middle of length (See Secs. 2 & 13)

19.91

Managers

DE DE

Do. above Crown of Engine Room

87.86

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Residence

Gross Tonnage

2579.02

Depth "d," at middle of length (See Secs. 2 & 13)

19.91

Port belonging to

GLASGOW.

Less Crew Space

137.33

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Poop

88.56

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Forecastle

15.17

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Houses on Dk.

32.07

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of excess of Hatchways

41.83

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. above Crown of Engine Room

87.86

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Gross Tonnage

2579.02

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Less Crew Space

137.33

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Poop

88.56

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Forecastle

15.17

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Houses on Dk.

32.07

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of excess of Hatchways

41.83

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. above Crown of Engine Room

87.86

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Gross Tonnage

2579.02

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Less Crew Space

137.33

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Poop

88.56

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Forecastle

15.17

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Houses on Dk.

32.07

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of excess of Hatchways

41.83

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. above Crown of Engine Room

87.86

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Gross Tonnage

2579.02

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Less Crew Space

137.33

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Poop

88.56

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Forecastle

15.17

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Houses on Dk.

32.07

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of excess of Hatchways

41.83

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. above Crown of Engine Room

87.86

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Gross Tonnage

2579.02

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Less Crew Space

137.33

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Poop

88.56

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Forecastle

15.17

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Houses on Dk.

32.07

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of excess of Hatchways

41.83

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. above Crown of Engine Room

87.86

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Gross Tonnage

2579.02

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Less Crew Space

137.33

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Poop

88.56

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Forecastle

15.17

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of Houses on Dk.

32.07

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. of excess of Hatchways

41.83

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

Do. above Crown of Engine Room

87.86

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

13.17

Destined Voyage

WEB FRAMES.										FORGINGS or CASTINGS.									
WEB-FRAMES, In Fore Body, No. and spacing										Inches in Ship.									
No. of Side Stringers										Inches per Rule.									
WEB-FRAMES, In Aft Body, No. and spacing										Inches per Rule.									
No. of Side Stringers										Inches per Rule.									
BRACKET PLATES to Stringers between										Inches per Rule.									
Web Frames, depth and thickness										Inches per Rule.									
BULKHEADS.										STIFFENERS.									
Vessel.										Single or Height up, state deck.									
FIVE										W.T. BULKHEADS									
36										38									
60										87									
115										142									
COLLISION										COLLISION									
Are the outside Plates doubled two spaces of Frames in length?										Are the Slatice Valves and Watertight Doors in efficient working order?									
PLATING.										RIVETING.									
STRAKES.										EDGES.									
AS IN SHIP.										PER RULE OR AS APPROVED.									
AMIDSHIP.										BUTTS.									
Forward.										Aft.									
Breadth.										Thickness.									
Inches.										Inches.									
Flat Plate Keel										Double									
Garboard or A Strake										Single									
B										C									
D										E									
F										G									
H										J									
K										L									
M										N									
O										P									
Q										R									
S										T									
U										V									
W										X									
Y										Z									
Thickness of Sheerstrake										Clear of Long Bridge									
Do. of Strake below										Do. of Flat Plate Keel									
Sheerstrakes										Poop Sides									
Length and thickness.										Short Bridge Sides									
FORECASTLE SIDES										FORECASTLE SIDES									
Upper Deck										Butts of Side Stringers									
Strainer Plate										Tie Plates									
Second Deck										Inner Bottom Plating									
Strainer Plate										Centre Girder Butts									
Frames										Rivets									
FRAMES extend to length from										REVERSED FRAMES on floors									
MASTS, SPARS, &c.										MASTS, SPARS, &c.									
LOWER MASTS										BOWSPRIT									
Topmasts, Yards and Remainder of Spars										Rigging, Material and Size, Shrouds									
Sails										Sails, and the following spare sails									

EQUIPMENT NO.										ANCHORS.										TONNAGE U. D. K. OR PLATING NO. FOR TRAWLERS									
Number of Certificate.		Anchors.		Weight, Ex. Stock.		Weight of Stock.		Test, per Certificate.		Weight Required by Table 31.		Description of Anchor.		Makers.		Where and when tested and Superintendent.													
				Owts. qrs. lbs.		Owts. qrs. lbs.		Tons. cwt. qrs. lbs.		Cwts. qrs. lbs.																			
23882		1st Bower		43 1 7		38 3 0		14 42 0		0 0		DREADNOUGHT		S. TAYLOR		SUNDERLAND 12.3.19													
23885		2nd		41 1 0		36 13 0		14 42 0		0 0		"		"		" 13.3.19													
23667		3rd		35 2 7		32 16 3		14 35 2		0 0		"		"		" 9.1.19													
		4th																											
		Collective weight.		120 1 0						119 2 0						L. HAFENER.													
23891		Stream		11 2 14		3 0 0		13 10 0		0 11 0		FORGED W.I.		S. TAYLOR		SUNDERLAND 13.3.19													
24319		Kedge		5 3 0		1 2 0		8 0 2		14 5 1		FORGED W.I.		"		SUNDERLAND 16.6.19													
Particulars of Drop Test of Cast Steel Anchors, viz.:— Weight, Surveyor's Initials, Number of Certificate, Date of Test.																													
1st Bower ✓ 2nd " ✓ 3rd " ✓ 4th " ✓																													
N ^o = 21-2-7. D.D.W. CER. N ^o 1375. DATE OF TEST 19.11.18.																													
CHAIN CABLES.																													
HAWSERS AND WARPS.																													
Number of Certificate.																													
Length and size supplied.																													
Test per Certificate.																													
Weight of Chain Cable.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													
Material.																													
Length and size supplied.																													
Breaking Test of Steel Wire Towing.																													
Length and size per Table 31.																													
Description.																													
Makers of Cable.																													
Where and when tested, and Superintendent.																													

Total No. of Visits 4