

FREEBOARD VERIFICATION FORM FOR ORDINARY CARGO ~~AND~~ ^{OR} PASSENGER SHIPS.

When received in London Office

4 JAN 1933

Port Sunderland.Name S. S. "KING ROBERT"Official No. 148731.No. in Reg. Book 65512.Port of Registry (~~For Foreign Ships~~) London.Iron or Steel Steel State whether Classed by Lloyd's Register + 100 A1. ShellsName of Owners Scottish S.S. Co. Ltd. Date of Verification 3rd Jan 1933.

I have to report that the Freeboards as given below, assigned by the Committee to this ship, have been correctly marked on the ship's sides, in accordance with the printed instructions:—

FREEBOARD AMIDSHIPS FROM ^{Shells} TOP OF DECK LINE, WOOD/STEEL DECK.		FROM CENTRE OF DISC.
Tropical Fresh Water	8 ft. 3 $\frac{1}{2}$ ins.	13 $\frac{1}{4}$ ins. above
Fresh Water	8 ft. 10 ins.	7 $\frac{1}{4}$ ins. above
Tropical	8 ft. 10 $\frac{1}{2}$ ins.	6 $\frac{1}{2}$ ins. above
Summer	9 ft. 5 $\frac{1}{4}$ ins.	
Winter	9 ft. 11 $\frac{1}{4}$ ins.	6 $\frac{1}{2}$ ins. below
Winter North Atlantic	-- ft. -- ins.	-- ins. below

Maximum Summer Draught corresponding to the freeboard assigned as shown on the Builders' Displacement Scales:— 26'-2 $\frac{1}{2}$ "

H. L. Swinton Surveyor.

(To be filled up in London Office.)

Statement No. 29459 Date of Committee's Minute31 Oct 1932Particulars for Record
in Register Book.

Moulded Depth	35	ft.	5	ins.
Freeboard	9	ft.	5 $\frac{1}{4}$	ins.
Corresponding Draught	26	ft.	2 $\frac{1}{2}$	ins.

Freeboards compared and found correct by Ref. Date 4/1/33.

Is fee paid?

Form for Certificate

L.L.2. - 31/7/1934

Instructions

Date

Certificate written

4/1/33

Noted for posting

Ref.

10m.7.31

Lloyd's Register

987-0116

nts for Ships

All vessels equal in strength to Lloyd's Awning-decked rule, or which, although in excess of that rule, do not come up to Lloyd's requirements for decked Vessel, are to be considered as Awning-decked Ships, the freeboard for which will vary with their strength.

If the frames, skin-planking, or ceiling are of unusual thickness the breadth of vessel to inside of ceiling should be reported if possible.