



SURVEYOR:

L. H. WEHRMEYER.

F.

LLOYD'S REG.
 Received
 7 MAR 1938
 And.
 LONDON

Lloyd's Register of Shipping.

Botanicuslaan No. 23,

Haren-Groningen, the 4th. of March, 1938

Dear Sir,

In reply to your letter of the 22nd. February, 1938, I beg to state that the capacity of the main engine driven pump is 80 liter per minute at revolutions of 1400 per minute. The diameter of the pump is 100 mm. and the stroke 85 mm.

I am, Dear Sir,

Yours faithfully,

The Secretary,
London.

L. H. Wickmayer

1. $\Delta t_{kin} = 1.229 \text{ sec}$
 $= 0.0353 \text{ cph}$
 $80 + 0.0353 \times 2.820 \text{ cph}$

$$\frac{2.820 \times 60}{25} = 6.848 \text{ km/hr}$$

Proof 100 $\times 85$
 $\frac{15}{14} \times 390 \times 33.45 \times 60 \times 144$
 1125 $\times 35$
 56.5
 1000 ✓

at 300 Run / m
12.1.1941

Lloyd's Register
Foundation

W987-0215

Referred to the Chief Engineer Surveyor

MB

- 7 MAR 1938

Original in register 1000000

1000000

1000000

1000000

1000000

© 2019



Lloyd's Register
Foundation